

Dragiewicz, M., Husson, S.J., Allinson, T. & Page, S.E., 2007. Avifauna of the Sabangau Peat-Swamp Forest				
English name	Latin Name	Habitat	IUCN	
Oriental darter	<i>Anhinga melanogaster</i>	R		prefers large rivers and lakes, few sightings nr LAHG, but likely more common nearer the coast
Great billed heron	<i>Ardea sumatrana</i>	R		regular around river
Purple heron	<i>Ardea purpurea</i>	R		regular around river
Striated heron	<i>Butorides striatus</i>	R		common on river
Javan pond-heron	<i>Ardeola speciosa</i>	R		rare
Little egret	<i>Egretta garzetta</i>	R		rare
Cinnamon bittern	<i>Ixobrychus cinnamomeus</i>	R		uncommon resident of sedge
Storms stork	<i>Ciconia stormi</i>	RMT	E	rare, sporadic sightings, seen only once in the past 3 years
Lesser adjutant stork	<i>Leptoptilos javanicus</i>	R	V	endangered and rare, inactive nests found 4 km from base camp
White-shouldered ibis	<i>Pseudibis davisoni</i>	R	CR	rare, possible vagrant, seen in tall pole burnt area in '95
Lesser whistling duck	<i>Dendrocygna javanica</i>	R		rare, likely hunted, 2 records, none in the past 3 years
Osprey	<i>Pandion haliaetus</i>	M		rare
Brahminy kite	<i>Haliastur indus</i>	RM		common along river and forest edge
Wallaces hawk eagle	<i>Spizeatus nanus</i>	MLT	V	One confirmed sighting
Black eagle	<i>Ictinaetus malayensis</i>	RML		rare
Jerdon's baza	<i>Aveiceda jerdoni</i>	M	NT	rare
White-bellied fish eagle	<i>Haliaeetus leucogaster</i>	R		rare, likely more abundant near coast
Crested goshawk	<i>Accipter trivirgatus</i>	M		uncommon, occasional sightings from tower and below canopy
Black-thighed falconet	<i>Microhierax fringillarius</i>	M		uncommon, seen from tower and along forest clearing
Black partridge	<i>Melanoperdix nigra</i>	M		uncommon and elusive, one sighting and one photo trap record
Crestless fireback	<i>Lophura erythrophthalma</i>	MT	V	uncommon and elusive, seen occasionally in gric
Great argus	<i>Argusianus argus</i>	M	NT	confirmed by Susan Page from mid '90s, no records in 10 years, probably locally extinct
White breasted waterhen	<i>Amaurornis phoenicurus</i>	R		common but elusive in sedge and river edge
Common sandpiper	<i>Tringa hypoleucos</i>	R		uncommon winter visitor
Wood sandpiper	<i>Tringa glareola</i>	R		uncommon winter visitor
Gull-billed tern	<i>Sterna nilotica</i>	R		rare, one recorded flying over river
Thick-billed pigeon	<i>Treron curvirostra</i>	RMT		uncommon, seen occasionally at forest edge, heard occasionally in forest
Pink-necked green pigeon	<i>Treron vernans</i>	M		rare
Green imperial pigeon	<i>Ducula aenea</i>	MT		uncommon, occasional sightings from tower
Emerald dove	<i>Chalcophaps indica</i>	L		uncommon, seen along rail in low pole
Spotted dove	<i>Streptopelia chinensis</i>	R		uncommon, prefers urban environment
Blue-crowned hanging parrot	<i>Loriculus galgulus</i>	MLT		often heard, one of most common birds seen from tower, common in local pet trade
Long-tailed parakeet	<i>Psittacula longicauda</i>	RMT	NT	uncommon, occasionally heard over forest and seen over sedge
Banded bay cuckoo	<i>Cacomantis sonnerati</i>	MT		uncommon, occasionally heard, rarely seen
Plaintive cuckoo	<i>Cacomantis merulinus</i>	MTB		common in forest edge and disturbed habitat, less common in intact forest
Violet cuckoo	<i>Cacomantis xanthorhynchus</i>	M		female seen once in clearing in the gric
Drongo cuckoo	<i>Surniculus lugubris</i>	MT		uncommonly heard, rarely seen
Chestnut bellied malkoha	<i>Phaenicophaeus sumatranus</i>	MLT	NT	common canopy resident
Chestnut breasted malkoha	<i>Phaenicophaeus curvirostris</i>	MT		uncommon canopy resident
Raffles malkoha	<i>Phaenicophaeus chlorophaea</i>	MT		common canopy resident, more often seen than heard
Greater common coucal	<i>Centropus sinensis</i>	M		uncommon along forest edge and in forest
Lesser coucal	<i>Centropus bengalensis</i>	R		rare in sedge and river habitat, one record
Oriental bay owl	<i>Phodilus badius</i>	M		uncommon, occasionally heard at night from camp

English name	Latin Name	Habitat	IUCN	
Buffy fish-owl	<i>Ketupa ketupu</i>	M		uncommon, occasionally heard at night
Brown hawk-owl	<i>Ninox scutulata</i>	MT		common, heard from camp regularly
Brown wood owl	<i>Strix leptogrammica</i>	MT		most seen owl, seen occasionally when flushed from day roost
Gould's frogmouth	<i>Batrachostomus stellatus</i>	L		uncommon, heard in the low interior forest, two frogmouth sightings in mixed forest failed to yield positive identifications of species, other species possibly present
Savannah nightjar	<i>Caprimulgus affinis</i>	R		common along sedge and river, fly and call just before dusk
Malaysian-eared nightjar	<i>Eurostopodus temminckii</i>	M		rare, heard once along river after dusk
Bonaparte's nightjar	<i>Caprimulgus concretus</i>	LM		common, seen in low and mixed forest, often heard from camp and in forest before dawn
Edible-nest Swiftlet	<i>Collocalis fuciphaga</i>	R		recent visitors, probably from swift houses built in nearby Keren
Glossy swiftlet	<i>Collalalia esculenta</i>	R		uncommon
Silver rumped swift	<i>Raphidura leucopygialis</i>	RML		most commonly seen swift
Little swift	<i>Apus affinis</i>	RMLT		uncommon
Grey rumped tree swift	<i>Hemiprocne longipennis</i>	MLT		uncommon, occasionally seen flying low over canopy
Red-naped trogon	<i>Harpactes kasumba</i>	MT	NT	common
Scarlet rumped trogon	<i>Harpactes duvaucelii</i>	MT	NT	common
Diard's trogon	<i>Harpactes diardii</i>	MT	NT	common
Blue-eared kingfisher	<i>Alcedo coerulescens</i>	RMT		uncommon in forest along canals, common along small forested river
Stork-billed kingfisher	<i>Pelargopsis capensis</i>	RML		uncommon in forest along canals, common along small forested river
Black backed kingfisher	<i>Ceyx erithacus</i>	RMT		common in forest
Rufous backed kingfisher	<i>Ceyx rufidorsa</i>	MT		common in forest
Blue-throated bee-eater	<i>Merops viridis</i>	RMLT		abundant, over forest and sedge
Dollarbird	<i>Eurystomus orientalis</i>	MT		rare, seen occasionally
Wrinkled hornbill	<i>Aceros corrugatus</i>	MT	NT	uncommon, and possibly declining in numbers
Asian black hornbill	<i>Anthracoceros malayanus</i>	MT	NT	uncommon, but most seen and heard hornbill
Oriental pied hornbill	<i>Anthracoceros albirostris</i>	M		uncommon, recently colonized region as surrounding forests were cleared, seen from camp occasionally
Rhinoceros hornbill	<i>Buceros rhinoceros</i>	MT	NT	seen in mid '90s and possibly in '02/03, not seen or heard in 3 years, possibly locally extinct
Helemeted hornbill	<i>Buceros vigil</i>	T	NT	not seen in over 10 years, possibly locally extinct
Blue-eared barbet	<i>Megalaima australis</i>	MLT		abundant, heard throughout the day. Occasionally seen at fruiting trees and from towers
Red-crowned barbet	<i>Megalaima rafflesi</i>	MLT	NT	abundant, heard throughout the day. Occasionally seen at fruiting trees and from towers
Brown barbet	<i>Calorhamphus fliginosus</i>	MLT		common, often heard, occasionally seen
Rufous piculet	<i>Sasia abnormis</i>	MT		uncommon forest resident
Olive-backed woodpecker	<i>Dinopium rafflesii</i>	ML		rare, one record
Buff-rumped woodpecker	<i>Meiglyptes tristis</i>	MT		uncommon
Buff-necked woodpecker	<i>Meiglyptes tukki</i>	MLT	NT	common, sometimes joins mixed babbler flock
White-bellied woodpecker	<i>Dryocopus javensis</i>	MT		uncommon
Grey capped woodpecker	<i>Dendrocopus canicapillus</i>	MTB		rare, two records, one recently from burn area of tall interior forest
Sunda woodpecker	<i>Picoides moluccensis</i>	B		rare, prefers highly disturbed habitat, seen at megarice and in sedge
Grey and buff woodpecker	<i>Hemicircus concretus</i>	MLT		uncommon
Maroon woodpecker	<i>Blythicipus rubiginosus</i>	M		rare
Crimson-winged woodpecker	<i>Picus pineus</i>	L		rare
Great slaty woodpecker	<i>Mulleripicus pulverulentis</i>	MLT		uncommon, noisy groups easy to detect
Orange-backed woodpecker	<i>Reinwardtipicus validus</i>	MLT		uncommon

English name	Latin Name	Habitat	IUCN	
Black and red broadbill	<i>Cymbirhynchus macrorhynchus</i>	ML		uncommon, rarely seen, occasionally heard
Banded broadbill	<i>Eurylaimus javanicus</i>	MLT		common, frequently heard, rarely seen
Black and yellow broadbill	<i>Eurylaimus ochromalus</i>	MT	NT	common, frequently heard, rarely seen
Green broadbill	<i>Calypptomena vividis</i>	MT	NT	uncommon, occasionally heard, rarely seen
Garnet pitta	<i>Pitta granatina</i>	R	NT	rare winter visitor
Barn swallow	<i>Hirundo rustica</i>	RM		winter visitor
Pacific swallow	<i>Hirundo tahitica</i>	RM		common over river and forest
Black-winged flycatcher shrike	<i>Henipus hirundinaceus</i>	MT		common canopy resident
Lesser cuckoo shrike	<i>Coracina fimbriata</i>	RML		uncommon canopy resident
Bar bellied cuckoo shrike	<i>Coracina striata</i>	M		rare
Fiery minivet	<i>Pericrocotus ignaeus</i>	MLT	NT	common canopy resident
Scarlet minivet	<i>Pericrocotus flammeus</i>	MLT		uncommon canopy resident
Green iora	<i>Aegithina viridissima</i>	MLT	NT	common canopy resident
Common iora	<i>Aegithina tiphia</i>	MT		uncommon canopy resident
Lesser green leafbird	<i>Chloropsis cyanopogon</i>	MLT	NT	common canopy resident
Greater green leafbird	<i>Chloropsis sonnerati</i>	MLT		common canopy resident, common cage bird in Palangkaraya
Yellow vented bulbul	<i>Pycnonotus goiavier</i>	RM		common in forest edge
Cream vented bulbul	<i>Pycnonotus simplex</i>	RMLT		common in forest canopy and clearing
Hook billed bulbul	<i>Setornis criniger</i>	MLT	V	somewhat common forest bulbul
Greater racket tailed drongc	<i>Dicrurus remifier</i>	RM		uncommon
Hair-crested drongc	<i>Dicrurus hottentottus</i>	R		rare, one sighting
Dark-throated oriole	<i>Oriolus xanthonotus</i>	MT		uncommon
Asian fairy-bluebird	<i>Irena puella</i>	M		rare
Black Magpie	<i>Platysmurus leucopterus</i>	M		rare, one sighting
Slender-billed crow	<i>Corvus enca</i>	MT		uncommon
Bornean bristlehead	<i>Pityriasis gymnocephala</i>	MLT	NT	common, often heard, occasionally seen
Velvet-fronted nuthatch	<i>Sitta frontalis</i>	MLT		uncommon
Black-capped babbler	<i>Pellorneum capistratum</i>	MLT		abundant, one of most seen and heard forest bird
White-chested babbler	<i>Trichastoma rostratum</i>	MLT	NT	abundant, one of most seen and heard forest bird
Short-tailed babbler	<i>Malacocincla malaccense</i>	MLT	NT	abundant, one of most seen and heard forest bird
Scaly crowned babbler	<i>Malacocincla cinerum</i>	MT		common, frequently heard and seen
Rufous crowned babbler	<i>Malacocincla magnum</i>	M		abundant, one of most seen and heard forest bird, one of first to sing at dawn
Grey breasted babbler	<i>Malacocincla albogulare</i>	MT		uncommon
Chestnut rumped babbler	<i>Stachyris maculata</i>	MT	NT	common
Black throated babbler	<i>Stachyris nigricolis</i>	MLT	NT	common
Chestnut winged babbler	<i>Stachyris erythroptera</i>	MLT		abundant, one of most frequently seen forest bird
Striped tit babbler	<i>Macronous ptilosus</i>	RMLTB	NT	abundant along forest edge, uncommon in forest
Fluffy-backed tit babbler	<i>Macronous saularis</i>	MLT		common in disturbed forest and forest edge
Magpie robin	<i>Copcyclus saularis</i>	RMT		uncommon, prefers developed land, seen occasionally in sedge and around camp
White-rumped shama	<i>Copcyclus malabaricus</i>	MLT		common, often heard
Rufous tailed shama	<i>Trichixos pyrrhopygus</i>	MLT	NT	common, often heard
Golden-bellied gerygone	<i>Gerygone sulphurea</i>	M		uncommon
Ashy tailorbird	<i>Orthotomus ruficeps</i>	MLT		common along forest edge and forest disturbance

English name	Latin Name	Habitat	IUCN	
Rufous-tailed tailorbird	<i>Orthotomus sriceus</i>	MT		common along forest edge and forest disturbance:
Yellow-bellied prinia	<i>Prinia flaviventris</i>	RM		common in sedge
Grey chested jungle flycatcher	<i>Rhinomyias umbratilis</i>	MT	NT	common
Pied fantail	<i>Rhipidura javanica</i>	RMT		common along forest edge and forest disturbance:
Black naped monarch	<i>Hypothymis azurea</i>	MLT		abundant, one of the first birds to sing at dawn
Rufous-winged philentoma	<i>Philentoma pyrhopterum</i>	MT		rare
Asian paradise flycatcher	<i>Terpsiphone paradis</i>	MT		rare
Mangrove whistler	<i>Pachycephala grisola</i>	MLT		abundant, heard everywhere throughout the day
White breasted wood swallow	<i>Artamus leucorhynchus</i>	RB		uncommon in sedge
Long-tailed shrike	<i>Lanius schach</i>	RB		uncommon in sedge, common in Palangkaraya, often kept in cage
Hill mynah	<i>Gracula religiosa</i>	MT		uncommon, but distinctly noisy when present
Plain throated sunbird	<i>Anthreptes malacensis</i>	ML		common in sedge
Ruby cheeked sunbird	<i>Anthreptes singalensis</i>	MLT		common in sedge and occasional in forest canopy
Purple-naped sunbird	<i>Hypogramma hypogrammicum</i>	RMT		uncommon in forest below and above canopy
Copper throated sunbird	<i>Nectarina calcostetha</i>	M		rare
Purple throated sunbird	<i>Nectarina sperata</i>	MLT		abundant in canopy, one of most common birds seen from tower
Olive-backed sunbird	<i>Nectarina jugularis</i>	RMT		common in sedge
Crimson sunbird	<i>Aethopyga siparaja</i>	MB		uncommon
Little spiderhunter	<i>Arachnothera longirostra</i>	MT		Common, seldom seen but often heard
Spiderhunter sp.	<i>Arachnothera sp.</i>	MT		<i>A. flavigaster</i> difficult to distinguish from <i>A. crassirostris</i> in the field
Scarlet-breasted flowerpecker	<i>Prionochilus thoracicus</i>	MT	NT	uncommon along forest edge
Yellow breasted flowerpecker	<i>Prionochilus maculatus</i>	MT		uncommon
Orange-bellied flowerpecker	<i>Dicaeum trigonostigma</i>	MLT		uncommon
Scarlet-backed flowerpecker	<i>Dicaeum cruentatum</i>	RML		uncommon along forest edge and in canopy
Crimson breasted flowerpecker	<i>Prionochilus percussus</i>	MT		uncommon
Dusky munia	<i>Lonchura fuscans</i>	R		common in sedge
Eurasian tree sparrow	<i>Passer montanus</i>	R		common in developed areas, occasionally visits camp
Below records are possible or likely, but are not yet confirmed				
Changeable hawk eagle	<i>Spizeatus cirrhatus</i>	R		confirmation needed
Red-legged crane	<i>Rallina fasciata</i>	R		confirmation needed
Pacific golden plover	<i>Pluvialis fulva</i>	R		confirmation needed
Common redshank	<i>Tringa totanus</i>	R		confirmation needed
Cinnamon headed pigeon	<i>Treron fulvicollis</i>	M	NT	confirmation needed
Pied imperial pigeon	<i>Ducula bicolor</i>	L		confirmation needed
Jambu fruit dove	<i>Ptilinopus jambu</i>	M	NT	confirmation needed
Zebra dove	<i>Geopelia striata</i>	M		confirmation needed
Red-breasted parakeet	<i>Psittacula alexandri</i>	L		confirmation needed
Common koel	<i>Eudynamis scolopacea</i>	M		confirmation needed
Black-bellied malkoha	<i>Phaenicophaeus diardi</i>	M		could be present, however, the past 50+ <i>Phaenicophaeus</i> sightings have been Chestnut-bellied malkoas, often it takes minutes of observation before the chestnut belly is visible
Red-billed malkoha	<i>Phaenicophaeus javanicus</i>	M		confirmation needed
Short-toed coucal	<i>Centropus rectunguis</i>	M	V	possible, but rare and difficult to distinguish from greater coucal, confirmation needed
Barn owl	<i>Tyto alba</i>	M		confirmation needed

English name	Latin Name	Habitat	IUCN	
Collared scops owl	<i>Otus lempiji</i>	L		very likely, confirmation needed
Rufous collared kingfisher	<i>Actenoides concretus</i>	M	NT	no records for over 10 years, misidentified or locally extinct
Sacred kingfisher	<i>Todirhamphus sanctus</i>	M		possible winter visitor, confirmation needed
Wreathed hornbill	<i>Aceros undulatus</i>	MT		no records for over 10 years, misidentified or locally extinct
Bushy-crested hornbill	<i>Anorrhinus galeritus</i>	T		no records for over 10 years, misidentified or locally extinct
Rufous woodpecker	<i>Celeus brachyurus</i>	RM		likely, confirmation needed
Dusky broadbill	<i>Corydon sumatranus</i>	M		likely, no recent records, confirmation needed
Straw headed bulbul	<i>Pycnonotus zeylanicus</i>	MT	V	confirmation needed
Black headed bulbul	<i>Pycnonotus atriceps</i>	M		confirmation needed
Black and white bulbul	<i>Pycnonotus melanoleucus</i>	M	NT	confirmation needed
Grey bellied bulbul	<i>Pycnonotus cyaniventris</i>	T	NT	confirmation needed
Puff backed bulbul	<i>Pycnonotus eutilotus</i>	T	NT	confirmation needed
Olive winged bulbul	<i>Pycnonotus plumosus</i>	M		confirmation needed
Grey-cheeked bulbul	<i>Alophoixus bres</i>	M		confirmation needed
Ferruginous babbler	<i>Trichastoma bicolor</i>	MT		confirmation needed
Moustached babbler	<i>Malacocincla magnirostre</i>	M		possible misidentification of short-tailed babbler
Sooty capped babbler	<i>Malacocincla affine</i>	M		could have been misidentified scaly-crowned babbler sighting or rufous-crowned babbler song
Striped wren babbler	<i>Kenopia striata</i>	M	NT	not seen in over 10 years, confirmation needed
Chestnut backed scimitar babbler	<i>Pomatorhinus montanus</i>	L		one ten year old record, possibly misidentification of black-capped babbler, confirmation needed
Malaysian rail babbler	<i>Eupetes macrocerus</i>	M	NT	difficult to misidentify, but confirmation needed
Dark-necked Tailorbird	<i>Orthotomus atrogularis</i>	RM		probable sighting sg. Koran, confirmation needed
Malaysian blue flycatcher	<i>Cyornis tucosis</i>	T	NT	confirmation needed
Asian brown flycatcher	<i>Muscicapa dauurica</i>	MT		confirmation needed
Spotted fantail	<i>Rhipidura pelrata</i>	T		confirmation needed
Plain sunbird	<i>Anthreptes simplex</i>	MLT		easily confused with other female sunbirds, confirmation needed
Thick-billed spiderhunter	<i>Arachnothera crassirostris</i>	M		difficult to distinguish from below species
Spectacled spiderhunter	<i>Arachnothera flavigaster</i>	ML		see above
Yellow rumped flowerpecker	<i>Prionochilus xanthopygus</i>	ML		possibly misidentification of crimson-breasted flowerpecker, confirmation needed
Scarlet-headed flowerpecker	<i>Dicaeum trochileum</i>	RM		no recorded in over 10 years, confirmation needed
Javan white-eye	<i>Zosterops flavus</i>	M	NT	confirmation needed
Key to table				
<i>Habitats</i> : R= River and Marsh habitat; M = Mixed Swamp Forest; L = Low Pole Forest; T = Tall Interior Forest; B = Burnt forest				
<i>IUCN</i> : CR = Critically endangered; E = Endangered; V = Vulnerable; NT = Near-threatened; DD = Data deficient				